

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	53	("5495220" "5684668" "5737172" "4502031" "6169469" "4409575" "4450328" "4477704" "4489225" "4506243" "4539451" "4560847" "4565987" "4565986" "4612427" "4616203" "4617541" "4628163" "4899120" "4947145" "4975665" "5003137" "5014027" "5059930" "5041805" "5528443" "5754387" "5880658" "5945900" "6111488" "5441233" "5680083" "5623239" "5886606" "5788171" "6783335" "4914411" "5278806" "5889454" "6054777" "3805200" "4264885" "4326408" "4360846" "4429197" "4450423" "4454442" "4453700" "4471178" "4481555") .pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
2	BRS	L2	4257	contact adj bridge	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
3	BRS	L3	832974	weld\$4	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B

	Type	L #	Hits	Search Text	DBs
4	BRS	L4	132337 5	bounce vibration weld\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
5	BRS	L5	132	2 with 4	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
6	BRS	L6	129179 9	inclin\$3 tilt\$4 slant\$4	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
7	BRS	L7	130	2 with 6	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B

	Type	L #	Hits	Search Text	DBs
8	BRS	L8	1042	335/132.ccls. 335/86.ccls. 335/176.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
9	BRS	L9	8413	contact near3 (carrier support) same 6	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
10	BRS	L10	49680	"335"/\$.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
11	BRS	L11	257	10 and 9	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	5252	contact near3 (support carrier).clm.	US-PGPUB
2	BRS	L2	149668	core armature	US-PGPUB
3	BRS	L3	67	1 same 2	US-PGPUB
4	BRS	L4	0	3 same (slant\$3 inclin\$3 tilt\$3)	US-PGPUB
5	BRS	L5	2907	contactor	US-PGPUB
6	BRS	L6	6	5 and 3	US-PGPUB